



- 11) Evaluate $\int_0^{2\pi} \int_1^2 r^3 \cos^2 \theta \sin^2 \theta \, dr d\theta$.
- 12) Evaluate $\int_0^{\infty} \int_0^{\infty} e^{-(x^2+y^2)} \, dx dy$ by changing into polar co-ordinates.
- 13) Evaluate $\int_0^1 \int_0^2 \int_1^2 xyz^2 \, dx dy dz$.
- 14) State Green's theorem in the plane.
- 15) Prove that $\text{div}(\text{curl } \vec{F}) = 0$, using Stoke's theorem.
- 16) Evaluate $\iint_S [(x+z)\hat{i} + (y+z)\hat{j} + (x+y)\hat{k}] \cdot \hat{n} \, ds$, where S is the surface of the sphere $x^2 + y^2 + z^2 = 4$ by using Gauss divergence theorem.
- 17) Define an interior point.
- 18) State Bolzano-Weistrass theorem.
- 19) Define a topological space.
- 20) Let $X = \{a, b\}$ and $\tau = \{X, \phi, \{a\}, \{b\}\}$ be a topology on X. Find τ neighbourhood of 'a'.

II. Answer **any four** questions :

(4×5=20)

- 1) Show that locus of a point z, satisfying $\text{amp} \left(\frac{z-1}{z+2} \right) = \frac{\pi}{3}$ is a circle. Find its centre and radius.
- 2) Prove the Cauchy-Riemann equations in the polar form $\frac{\partial u}{\partial r} = \frac{1}{r} \frac{\partial v}{\partial \theta}$ and $\frac{\partial u}{\partial \theta} = -r \frac{\partial v}{\partial r}$.



- 3) Show that $f(z) = e^z$ is analytic and hence show that $f'(z) = e^z$.
- 4) Find the analytic function whose imaginary part is $e^{-y}(x \sin x + y \cos x)$.
- 5) Discuss the transformation $w = \sin z$.
- 6) Find the bilinear transformation which maps $z = 0, -i, -1$ onto $w = i, 1, 0$.

III. Answer any two questions.

(2×5=10)

- 1) Evaluate $\int_C \frac{\sin \pi z^2 + \cos \pi z^2}{(z-1)(z-2)} dz$, where $C: |z| = 3$.
- 2) State and prove Cauchy's integral formula.
- 3) If a is any positive real number and C is the circle $|z| = 3$, show that

$$\int_C \frac{e^{2z}}{(z^2+1)^2} dz = \pi i (\sin a - a \cos a).$$

IV. Answer any four questions.

(4×5=20)

- 1) Evaluate $\int_C [3x^2 dx + (2xz - y) dy + z dz]$ along the line joining $(0, 0, 0)$ and $(2, 1, 3)$.
- 2) Evaluate $\iint_R y dx dy$ where R is the region bounded by the parabolas $y^2 = 4x$ and $x^2 = 4y$.
- 3) Evaluate $\int_0^1 \int_{\sqrt{y}}^{2-y} xy dx dy$ by changing the order of integration.
- 4) Find the area of the ellipse $\frac{x^2}{a^2} + \frac{y^2}{b^2} = 1$ by double integration.



5) Evaluate $\int_0^a \int_0^{\sqrt{a^2-x^2}} \int_0^{\sqrt{a^2-x^2-y^2}} \frac{dx dy dz}{\sqrt{a^2-x^2-y^2-z^2}}$.

6) Evaluate $\iiint_R xyz dx dy dz$ over the positive octant of the sphere $x^2 + y^2 + z^2 = a^2$ by changing it to spherical polar co-ordinates.

V. Answer any two questions. (2x5=10)

- 1) State and prove Green's theorem in the plane.
- 2) Evaluate $\iiint_S (x \hat{i} + y \hat{j} + z^2 \hat{k}) \cdot \hat{n} ds$, where S is the closed surface bounded by the cone $x^2 + y^2 = z^2$ and the plane $z = 1$, using divergence theorem.
- 3) Evaluate by Stoke's theorem $\oint_C (\sin z dx - \cos x dy + \sin y dz)$. Where C is the boundary of the rectangle $0 \leq x \leq \pi$, $0 \leq y \leq 1$, $z = 3$.

VI. Answer any two questions. (2x5=10)

- 1) Prove that the union of any number of open subsets of R^2 is open.
- 2) Let $X = \{a, b, c\}$ and $\tau = \{X, \phi, \{a\}, \{b\}, \{a,b\}\}$ then show that τ is a topology on X.
- 3) Let A and B be any two subsets of the topological space X, then prove that
 - i) If $A \subset B \Rightarrow \bar{A} \subset \bar{B}$
 - ii) $\overline{(A \cup B)} = \bar{A} \cup \bar{B}$.
- 4) Let $X = \{a, b, c\}$ and $\tau = \{X, \phi, \{a\}, \{b\}, \{c\}, \{a, b\}, \{a, c\}, \{b, c\}\}$ be a topology for X. If $\beta = \{\{a\}, \{b\}, \{c\}\}$ then show that β is a base of τ .